

## SPIRÁLFÚRÓK

## Csiszolt, SHSS fúrók / kód: 1120



|           |           |           |           |           |           |           |           |           |           |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Ø 1,0 mm  | Ø 1,1 mm  | Ø 1,2 mm  | Ø 1,3 mm  | Ø 1,4 mm  | Ø 1,5 mm  | Ø 1,6 mm  | Ø 1,7 mm  | Ø 1,8 mm  | Ø 1,9 mm  |
| Ø 2,0 mm  | Ø 2,1 mm  | Ø 2,2 mm  | Ø 2,3 mm  | Ø 2,4 mm  | Ø 2,5 mm  | Ø 2,6 mm  | Ø 2,7 mm  | Ø 2,8 mm  | Ø 2,9 mm  |
| Ø 3,0 mm  | Ø 3,1 mm  | Ø 3,2 mm  | Ø 3,3 mm  | Ø 3,4 mm  | Ø 3,5 mm  | Ø 3,6 mm  | Ø 3,7 mm  | Ø 3,8 mm  | Ø 3,9 mm  |
| Ø 4,0 mm  | Ø 4,1 mm  | Ø 4,2 mm  | Ø 4,3 mm  | Ø 4,4 mm  | Ø 4,5 mm  | Ø 4,6 mm  | Ø 4,7 mm  | Ø 4,8 mm  | Ø 4,9 mm  |
| Ø 5,0 mm  | Ø 5,1 mm  | Ø 5,2 mm  | Ø 5,3 mm  | Ø 5,4 mm  | Ø 5,5 mm  | Ø 5,6 mm  | Ø 5,7 mm  | Ø 5,8 mm  | Ø 5,9 mm  |
| Ø 6,0 mm  | Ø 6,1 mm  | Ø 6,2 mm  | Ø 6,3 mm  | Ø 6,4 mm  | Ø 6,5 mm  | Ø 6,6 mm  | Ø 6,7 mm  | Ø 6,8 mm  | Ø 6,9 mm  |
| Ø 7,0 mm  | Ø 7,1 mm  | Ø 7,2 mm  | Ø 7,3 mm  | Ø 7,4 mm  | Ø 7,5 mm  | Ø 7,6 mm  | Ø 7,7 mm  | Ø 7,8 mm  | Ø 7,9 mm  |
| Ø 8,0 mm  | Ø 8,1 mm  | Ø 8,2 mm  | Ø 8,3 mm  | Ø 8,4 mm  | Ø 8,5 mm  | Ø 8,6 mm  | Ø 8,7 mm  | Ø 8,8 mm  | Ø 8,9 mm  |
| Ø 9,0 mm  | Ø 9,1 mm  | Ø 9,2 mm  | Ø 9,3 mm  | Ø 9,4 mm  | Ø 9,5 mm  | Ø 9,6 mm  | Ø 9,7 mm  | Ø 9,8 mm  | Ø 9,9 mm  |
| Ø 10,0 mm | Ø 10,1 mm | Ø 10,2 mm | Ø 10,3 mm | Ø 10,4 mm | Ø 10,5 mm | Ø 10,6 mm | Ø 10,7 mm | Ø 10,8 mm | Ø 10,9 mm |
| Ø 11,0 mm | Ø 11,1 mm | Ø 11,2 mm | Ø 11,3 mm |           | Ø 11,5 mm |           |           | Ø 11,8 mm | Ø 11,9 mm |
| Ø 12,0 mm |           | Ø 12,2 mm |           |           | Ø 12,5 mm |           | Ø 12,7 mm | Ø 12,8 mm |           |
| Ø 13,0 mm | Ø 13,5 mm |           | Ø 14,0 mm | Ø 14,5 mm |           | Ø 15,0 mm | Ø 15,5 mm |           | Ø 16,0 mm |

## SPIRÁLFÚRÓK

### Spirálfúró DIN 345 HSS / Kód: 1450

Különböző fémek, ötvözött és ötvözetlen fémöntvények fúrására alkalmas.

| Átmérő | Teljes hossz. | Hasznos hossz. | Befogatas |
|--------|---------------|----------------|-----------|
| Ø mm   | L mm          | L mm           |           |
| 10,00  | 168           | 87             | MK 1      |
| 10,50  | 168           | 87             | MK 1      |
| 11,00  | 175           | 94             | MK 1      |
| 11,50  | 175           | 94             | MK 1      |
| 12,00  | 182           | 101            | MK 1      |
| 12,50  | 182           | 101            | MK 1      |
| 13,00  | 182           | 101            | MK 1      |
| 13,50  | 189           | 108            | MK 1      |
| 14,00  | 189           | 108            | MK 1      |
| 14,50  | 212           | 114            | MK 2      |
| 15,00  | 212           | 114            | MK 2      |
| 15,50  | 218           | 120            | MK 2      |
| 16,00  | 218           | 120            | MK 2      |
| 16,50  | 223           | 125            | MK 2      |
| 17,00  | 228           | 130            | MK 2      |
| 17,50  | 228           | 130            | MK 2      |
| 18,00  | 228           | 130            | MK 2      |
| 18,50  | 233           | 135            | MK 2      |
| 19,00  | 233           | 135            | MK 2      |
| 19,50  | 238           | 140            | MK 2      |
| 20,00  | 238           | 140            | MK 2      |
| 20,50  | 243           | 145            | MK 2      |
| 21,00  | 243           | 145            | MK 2      |
| 21,50  | 248           | 150            | MK 2      |
| 22,00  | 248           | 150            | MK 2      |
| 22,50  | 253           | 155            | MK 2      |
| 23,00  | 253           | 155            | MK 2      |
| 23,50  | 276           | 155            | MK 3      |
| 24,00  | 281           | 160            | MK 3      |
| 24,50  | 281           | 160            | MK 3      |
| 25,00  | 281           | 160            | MK 3      |
| 25,50  | 286           | 165            | MK 3      |



## SPIRÁLFÚRÓK

## Spirálfúró DIN 345 HSS / Kód: 1450

Különböző fémek, ötvözött és ötvözetlen fémöntvények fúrására alkalmas.




| Átmérő | Teljes hossz. | Hasznos hossz. | Befogatás |
|--------|---------------|----------------|-----------|
| Ø mm   | L mm          | L mm           |           |
| 26,00  | 286           | 165            | MK 3      |
| 26,50  | 286           | 165            | MK 3      |
| 27,00  | 291           | 170            | MK 3      |
| 27,50  | 291           | 170            | MK 3      |
| 28,00  | 291           | 170            | MK 3      |
| 28,50  | 296           | 175            | MK 3      |
| 29,00  | 296           | 175            | MK 3      |
| 29,50  | 296           | 175            | MK 3      |
| 30,00  | 296           | 175            | MK 3      |
| 30,50  | 301           | 180            | MK 3      |
| 31,00  | 301           | 180            | MK 3      |
| 31,50  | 301           | 180            | MK 3      |
| 32,00  | 334           | 185            | MK 4      |
| 32,50  | 334           | 185            | MK 4      |
| 33,00  | 334           | 185            | MK 4      |
| 33,50  | 334           | 185            | MK 4      |
| 34,00  | 339           | 190            | MK 4      |
| 34,50  | 339           | 190            | MK 4      |
| 35,00  | 339           | 190            | MK 4      |
| 35,50  | 339           | 190            | MK 4      |
| 36,00  | 344           | 195            | MK 4      |
| 36,50  | 344           | 195            | MK 4      |
| 37,00  | 344           | 195            | MK 4      |
| 37,50  | 344           | 195            | MK 4      |
| 38,00  | 349           | 200            | MK 4      |
| 38,50  | 349           | 200            | MK 4      |
| 39,00  | 349           | 200            | MK 4      |
| 39,50  | 349           | 200            | MK 4      |
| 40,00  | 349           | 200            | MK 4      |

## SPIRÁLFÚRÓK

### Spirálfúró DIN 345 HSS / Kód: 1450

Különböző fémek, ötvözött és ötvöztelen fémöntvények fúrására alkalmas.

| Átmérő | Teljes hossz. | Hasznos hossz. | Befogatas |
|--------|---------------|----------------|-----------|
| Ø mm   | L mm          | L mm           |           |
| 40,50  | 354           | 205            | MK 4      |
| 41,00  | 354           | 205            | MK 4      |
| 41,50  | 354           | 205            | MK 4      |
| 42,00  | 354           | 205            | MK 4      |
| 42,50  | 354           | 205            | MK 4      |
| 43,00  | 359           | 210            | MK 4      |
| 43,50  | 359           | 210            | MK 4      |
| 44,00  | 359           | 210            | MK 4      |
| 44,50  | 359           | 210            | MK 4      |
| 45,00  | 359           | 210            | MK 4      |
| 45,50  | 364           | 215            | MK 4      |
| 46,00  | 364           | 215            | MK 4      |
| 46,50  | 364           | 215            | MK 4      |
| 47,00  | 364           | 215            | MK 4      |
| 47,50  | 364           | 215            | MK 4      |
| 48,00  | 369           | 220            | MK 4      |
| 48,50  | 369           | 220            | MK 4      |
| 49,00  | 369           | 220            | MK 4      |
| 49,50  | 369           | 220            | MK 4      |
| 50,00  | 369           | 220            | MK 4      |
| 51,00  | 412           | 225            | MK 5      |
| 52,00  | 412           | 225            | MK 5      |
| 53,00  | 412           | 225            | MK 5      |
| 54,00  | 417           | 230            | MK 5      |
| 55,00  | 417           | 230            | MK 5      |
| 56,00  | 417           | 230            | MK 5      |
| 57,00  | 422           | 235            | MK 5      |
| 58,00  | 422           | 235            | MK 5      |
| 59,00  | 422           | 235            | MK 5      |
| 60,00  | 422           | 235            | MK 5      |



## Központfúró DIN 333 A 60° HSS / Kód: 1600

Hagyományos 60°-os HSS központfúró.



| Átmérő | Szár átmérő |  |
|--------|-------------|--|
| Ø mm   | Ø mm        |  |
| 1,00   | 3,15        |  |
| 1,25   | 3,15        |  |
| 1,60   | 4,00        |  |
| 2,00   | 5,00        |  |
| 2,50   | 6,30        |  |
| 3,15   | 8,00        |  |
| 4,00   | 10,00       |  |
| 5,00   | 12,50       |  |
| 6,30   | 16,00       |  |

# MENETFÚRÓK

## Menetfúró DIN 352 HSS-G / Kód: 4100

Hagyományos, 3 darabos, kézi, metrikus menetfúró készlet.

| Menet | Menetemelkedés | Előfurat Ø |  |
|-------|----------------|------------|--|
| M     | mm             | Ø mm       |  |
| M 3   | 0,50           | 2,50       |  |
| M 4   | 0,70           | 3,30       |  |
| M 5   | 0,80           | 4,20       |  |
| M 6   | 1,00           | 5,00       |  |
| M 8   | 1,25           | 6,80       |  |
| M 10  | 1,50           | 8,50       |  |
| M 12  | 1,75           | 10,20      |  |
| M 14  | 2,00           | 12,00      |  |
| M 16  | 2,00           | 14,00      |  |
| M 18  | 2,50           | 15,50      |  |
| M 20  | 2,50           | 17,50      |  |
| M 22  | 2,50           | 19,50      |  |
| M 24  | 2,50           | 21,00      |  |



Előfúró



Köztes fúró



Befejező fúró

## MENETFÚRÓK

### Csavart, gépi menetfúró DIN 371 / 376 HSS-G Kód: 4150, 4151

Csavart, gépi, metrikus menetfúrók.

| Menet | Menetemelkedés |  |
|-------|----------------|--|
| M     | mm             |  |
| M 3   | 0,50           |  |
| M 4   | 0,70           |  |
| M 5   | 0,80           |  |
| M 6   | 1,00           |  |
| M 8   | 1,25           |  |
| M 10  | 1,50           |  |
| M 12  | 1,75           |  |
| M 14  | 2,00           |  |
| M 16  | 2,00           |  |
| M 18  | 2,50           |  |
| M 20  | 2,50           |  |
| M 22  | 2,50           |  |
| M 24  | 3,00           |  |



### Csavart, gépi menetfúró DIN 371 / 376 HSS-E (Co 5) Kód: 4152, 4153

Kobalttötvözet, csavart, gépi, metrikus menetfúrók.

| Menet | Menetemelkedés |  |
|-------|----------------|--|
| M     | mm             |  |
| M 3   | 0,50           |  |
| M 4   | 0,70           |  |
| M 5   | 0,80           |  |
| M 6   | 1,00           |  |
| M 8   | 1,25           |  |
| M 10  | 1,50           |  |
| M 12  | 1,75           |  |
| M 14  | 2,00           |  |
| M 16  | 2,00           |  |
| M 18  | 2,50           |  |
| M 20  | 2,50           |  |
| M 22  | 2,50           |  |
| M 24  | 3,00           |  |



## MENETFÚRÓK

### Gépi menetfúró DIN 371 / 376 HSS-G Kód: 4140, 4141

Hagyományos, gépi, metrikus menetfúrók.

| Menet | Menetemelkedés |  |
|-------|----------------|--|
| M     | mm             |  |
| M 3   | 0,50           |  |
| M 4   | 0,70           |  |
| M 5   | 0,80           |  |
| M 6   | 1,00           |  |
| M 8   | 1,25           |  |
| M 10  | 1,50           |  |
| M 12  | 1,75           |  |
| M 14  | 2,00           |  |
| M 16  | 2,00           |  |
| M 18  | 2,50           |  |
| M 20  | 2,50           |  |
| M 22  | 2,50           |  |
| M 24  | 3,00           |  |

### Gépi menetfúró DIN 371/376 HSS-E (Co 5) Kód: 4142, 4143

Kobaltötvözet, gépi, metrikus menetfúrók.

| Menet | Menetemelkedés |  |
|-------|----------------|--|
| M     | mm             |  |
| M 3   | 0,50           |  |
| M 4   | 0,70           |  |
| M 5   | 0,80           |  |
| M 6   | 1,00           |  |
| M 8   | 1,25           |  |
| M 10  | 1,50           |  |
| M 12  | 1,75           |  |
| M 14  | 2,00           |  |
| M 16  | 2,00           |  |
| M 18  | 2,50           |  |
| M 20  | 2,50           |  |
| M 22  | 2,50           |  |
| M 24  | 3,00           |  |





## Menetmetsző DIN EN 22568 (DIN 223 B) HSS-G / Kód: 4200

HSS, metrikus, jobb menetes menetmetsző



| Menet | Menetemelkedés | Külső átmérő |  |
|-------|----------------|--------------|--|
| M     | mm             | mm           |  |
| M 3   | 0,50           | 20           |  |
| M 4   | 0,70           | 20           |  |
| M 5   | 0,80           | 20           |  |
| M 6   | 1,00           | 20           |  |
| M 8   | 1,25           | 25           |  |
| M 10  | 1,50           | 30           |  |
| M 12  | 1,75           | 38           |  |
| M 14  | 2,00           | 38           |  |
| M 16  | 2,00           | 45           |  |
| M 18  | 2,50           | 45           |  |
| M 20  | 2,50           | 45           |  |
| M 22  | 2,50           | 55           |  |
| M 24  | 3,00           | 55           |  |

## MENETFÚRÓK

### Anyacsavar menetfúró DIN 357 HSS-G / Kód: 4160

Hagyományos, metrikus, anyacsavar menetfúrók.

| Menet | Menet-<br>emelkedés | Előfúrat<br>Ø | Teljes<br>hossz. | Hasznos<br>hossz. |  |
|-------|---------------------|---------------|------------------|-------------------|--|
| M     | mm                  | Ø mm          | L mm             | L mm              |  |
| M 3   | 0,50                | 2,50          | 70               | 22                |  |
| M 4   | 0,70                | 3,30          | 90               | 25                |  |
| M 5   | 0,80                | 4,20          | 100              | 28                |  |
| M 6   | 1,00                | 5,00          | 110              | 32                |  |
| M 8   | 1,25                | 6,80          | 125              | 40                |  |
| M 10  | 1,50                | 8,50          | 140              | 45                |  |
| M 12  | 1,75                | 10,20         | 180              | 50                |  |




### Hajtókar menetfúróhoz DIN 1814 / Kód: 4300

| Méret | Hossz. | Menetfúró<br>mérete M | Menetfúró<br>mérete G |  |
|-------|--------|-----------------------|-----------------------|--|
|       | mm     | M - MF                | G                     |  |
| 0     | 130    | M 1 – 8               | -                     |  |
| 1     | 180    | M 1 – 10              | -                     |  |
| 1 1/2 | 180    | M 1 – 12              | 1/8                   |  |
| 2     | 280    | M 4 – 12              | 1/8-3/8               |  |
| 3     | 380    | M 5 – 20              | 1/8-1/2               |  |
| 4     | 500    | M 11 – 27             | 1/8-3/4               |  |
| 5     | 700    | M 13 – 32             | 1/4-1                 |  |



## LÉPCSŐS FÚRÓK



## Lépcsős HSS fúrók / Kód: 1760

| Méret | Átmérő              | Lépcső |  |
|-------|---------------------|--------|--|
| 1     | 4-12                | 1      |  |
| 2     | 12-20               | 1      |  |
| 3     | 20-30               | 1      |  |
| 1A    | 4-12                | 2      |  |
| 2A    | 4-20                | 2      |  |
| 3A    | 4-30                | 2      |  |
| 4     | 6-26,75<br>PG7 - 21 | 8      |  |
| 5     | 6-37<br>PG7-29      | 12     |  |
| 6     | 4-39                | 13     |  |
| 9     | 5,3-30,5            | 9      |  |
| 10    | 5,3-38,5            | 11     |  |
| 11    | 6,5-32,5            | 9      |  |
| 12    | 6,5-40,5            | 11     |  |

## Lépcsős HSS fúrók / Kód: 1761

| Méret | Átmérő         | Lépcső |  |
|-------|----------------|--------|--|
| 1     | 4-12           | 1      |  |
| 2A    | 4-20           | 2      |  |
| 3A    | 4-30           | 2      |  |
| 5     | 6-37<br>PG7-29 | 12     |  |

## Lépcsős fúró készlet B 3

|          |                                  |
|----------|----------------------------------|
| 3 részes | 1 / 2 / 3 * 3-14;6-20;16-30,5 mm |
|----------|----------------------------------|

# LÉPCSŐS FÚRÓK

## Táblázat a lépcsősfúrók méreteihez

| Méret                                     | Furatméretek        |                    |                     |                      |                     |
|---|---------------------|--------------------|---------------------|----------------------|---------------------|
| 1A  | Ø 4,0 mm            | Ø 6,0 mm           | Ø 8,0 mm            | Ø 10,0 mm            | Ø 12,0 mm           |
| 2A  | Ø 4,0 mm            | Ø 6,0 mm           | Ø 8,0 mm            | Ø 10,0 mm            | Ø 12,0 mm           |
|   | Ø 14,0 mm           | Ø 16,0 mm          | Ø 18,0 mm           | Ø 20,0 mm            |                     |
| 3A  | Ø 4,0 mm            | Ø 6,0 mm           | Ø 8,0 mm            | Ø 10,0 mm            | Ø 12,0 mm           |
|   | Ø 14,0 mm           | Ø 16,0 mm          | Ø 18,0 mm           | Ø 20,0 mm            | Ø 22,0 mm           |
|   | Ø 24,0 mm           | Ø 26,0 mm          | Ø 28,0 mm           | Ø 30,0 mm            |                     |
| 1   | Ø 4,0 mm            | Ø 5,0 mm           | Ø 6,0 mm            | Ø 7,0 mm             | Ø 8,0 mm            |
|   | Ø 9,0 mm            | Ø 10,0 mm          | Ø 11,0 mm           | Ø 12,0 mm            |                     |
| 2   | Ø 12,0 mm           | Ø 13,0 mm          | Ø 14,0 mm           | Ø 15,0 mm            | Ø 16,0 mm           |
|   | Ø 17,0 mm           | Ø 18,0 mm          | Ø 19,0 mm           | Ø 20,0 mm            |                     |
| 3   | Ø 20,0 mm           | Ø 21,0 mm          | Ø 22,0 mm           | Ø 23,0 mm            | Ø 24,0 mm           |
|   | Ø 25,0 mm           | Ø 26,0 mm          | Ø 27,0 mm           | Ø 28,0 mm            | Ø 29,0 mm           |
|   | Ø 30,0 mm           |                    |                     |                      |                     |
| <b>Für Panzerrohrgewinde Kernlochmaße</b> |                     |                    |                     |                      |                     |
| 4   | PG 7<br>Ø 11,4 mm   | PG 9<br>Ø 14,0 mm  | PG 11<br>Ø 17,25 mm | PG 13,5<br>Ø 19,0 mm | PG 16<br>Ø 21,25 mm |
|   | PG 21<br>Ø 26,75 mm |                    |                     |                      |                     |
| <b>Für Panzerrohrgewinde Kernlochmaße</b> |                     |                    |                     |                      |                     |
| 5   | PG 7<br>Ø 12,7 mm   | PG 9<br>Ø 15,2 mm  | PG 11<br>Ø 18,6 mm  | PG 13,5<br>Ø 20,4 mm | PG 16<br>Ø 22,5 mm  |
|   | PG 21<br>Ø 28,3 mm  | PG 29<br>Ø 37,0 mm |                     |                      |                     |
| 6   | Ø 4,0 mm            | Ø 6,0 mm           | Ø 9,0 mm            | Ø 12,0 mm            | Ø 15,0 mm           |
|   | Ø 18,0 mm           | Ø 21,0 mm          | Ø 24,0 mm           | Ø 27,0 mm            | Ø 30,0 mm           |
|   | Ø 33,0 mm           | Ø 36,0 mm          | Ø 39,0 mm           |                      |                     |



## Táblázat a lépcsősfúrók méreteihez



## Für metrische Kabelverschraubungen, Kernlochmaße nach DIN/EN60423

|   |                   |                   |                   |                   |                   |
|---|-------------------|-------------------|-------------------|-------------------|-------------------|
| 9 | M 6<br>Ø 5,3 mm   | M 8<br>Ø 7,0 mm   | M 10<br>Ø 9,0 mm  | M 12<br>Ø 10,5 mm | M 16<br>Ø 14,5 mm |
|   | M 20<br>Ø 18,5 mm | M 25<br>Ø 23,5 mm | M 32<br>Ø 30,5 mm |                   |                   |

## Für metrische Kabelverschraubungen, Kernlochmaße nach DIN/EN60423

|    |                   |                   |                   |                   |                   |
|----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 10 | M 6<br>Ø 5,3 mm   | M 8<br>Ø 7,0 mm   | M 10<br>Ø 9,0 mm  | M 12<br>Ø 10,5 mm | M 16<br>Ø 14,5 mm |
|    | M 20<br>Ø 18,5 mm | M 25<br>Ø 23,5 mm | M 32<br>Ø 30,5 mm | M 40<br>Ø 38,5 mm |                   |

## Für metrische Kabelverschraubungen, Kernlochmaße nach DIN/EN60423

|    |                   |                   |                   |                   |                   |
|----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 11 | M 6<br>Ø 6,5 mm   | M 8<br>Ø 8,5 mm   | M 10<br>Ø 10,5 mm | M 12<br>Ø 12,5 mm | M 16<br>Ø 16,5 mm |
|    | M 20<br>Ø 20,5 mm | M 25<br>Ø 25,5 mm | M 32<br>Ø 32,5 mm |                   |                   |

## Für metrische Kabelverschraubungen, Kernlochmaße nach DIN/EN60423

|    |                   |                   |                   |                   |                   |
|----|-------------------|-------------------|-------------------|-------------------|-------------------|
| 12 | M 6<br>Ø 6,5 mm   | M 8<br>Ø 8,5 mm   | M 10<br>Ø 10,5 mm | M 12<br>Ø 12,5 mm | M 16<br>Ø 16,5 mm |
|    | M 20<br>Ø 20,5 mm | M 25<br>Ø 25,5 mm | M 32<br>Ø 32,5 mm | M 40<br>Ø 40,5 mm |                   |



## KÉSZLETEK

### Süllyesztő készlet KS 6 HSS

|          |          |                               |
|----------|----------|-------------------------------|
| KS 6 HSS | 6 részes | 6,3/8,3/10,4/12,4/16,5/20,5mm |
|----------|----------|-------------------------------|

### Menetfúró készlet EGB 15 DIN 352 HSS-G

|        |           |                               |
|--------|-----------|-------------------------------|
| EGB 15 | 15 részes | 6,3/8,3/10,4/12,4/16,5/20,5mm |
|--------|-----------|-------------------------------|

### SHSS spirálfúró készletek DIN 338

|        |           |                        |
|--------|-----------|------------------------|
| BSG-19 | 19 részes | 1,0 – 10 mm Ø x 0,5 mm |
|--------|-----------|------------------------|

|        |           |                        |
|--------|-----------|------------------------|
| BSG-25 | 25 részes | 1,0 – 13 mm Ø x 0,5 mm |
|--------|-----------|------------------------|

|         |            |                        |
|---------|------------|------------------------|
| BSG-170 | 170 részes | 1,0 – 10 mm Ø x 0,5 mm |
|---------|------------|------------------------|

|  |  |                           |
|--|--|---------------------------|
|  |  | 1,0 - 8,0 mm Ø = 10 darab |
|  |  | 8,5 – 10,0 mm Ø = 5 darab |

